Generate Collection

L8: Entry 44 of 54

File: JPAB

COUNTRY

COUNTRY

Mar 26, 1987

UB-NO: JP362067001A

OCUMENT-IDENTIFIER: JP 62067001 A

ITLE: PRESERVATION OF TRANSPLANTED ORGAN

UBN-DATE: March 26, 1987

NVENTOR-INFORMATION:

JAME

JCHIDA, HISANORI

MAZAKI, YOSHIHIKO

MIYAKE, SHOICHI

SSIGNEE-INFORMATION:

IAME

JCHIDA HISANORI

MAZAKI YOSHIHIKO

GREEN CROSS CORP: THE

APPL-NO: JP60206079

APPL-DATE: September 17, 1985

NT-CL (IPC): A01N 1/02

BSTRACT:

PURPOSE: To improve the <u>preservation</u> quality of a transplanted <u>organ, particularly the kidney</u> for long period, by using a plasminogen activator, e.g. <u>urokinase,</u> and preferably further mannitol ncorporated in Collins' solution.

CONSTITUTION: A transplanted organ, particularly the kidney is preserved by using $1000 \sim 10000$ CU/ml plasminogen activator, e.g. urokinase, and preferably further $1 \sim 5 \text{wt./vol.} \%$ mannitol incorporated in Collins' solution (containing glucose, KH2PO4, K2HPO4, KCl, NaHCO3, MgSO4.7H2O, etc.) for a long period. The use of the above-mentioned preserving solution permits the preservation at a temperature as low as $0 \sim 10 \, ^{\circ}\text{C}$ for $72 \sim 120$ hr by simple surface cooling an organization of the kidney. This method gives good results even in the case of additional hot schemic disorder.

COPYRIGHT: (C)1987,JPO&Japio

irst Hit

Generate Collection

L8: Entry 52 of 54

File: DWPI

Mar 26, 1987

ERWENT-ACC-NO: 1987-125510

ERWENT-WEEK: 198718

OPYRIGHT 2004 DERWENT INFORMATION LTD

ITLE: Preserving organs for transplantation - in Collin's soln. contg. plasminogen activator e.g.

rokinase

ATENT-ASSIGNEE:

ASSIGNEE

CODE

GREEN CROSS CORP

GREC

RIORITY-DATA: 1985JP-0206079 (September 17, 1985)

Se	arch Selected	Search ALL	Clear
----	---------------	------------	-------

ATENT-FAMILY:

PUB-NO PUB-DATE LANGUAGE PAGES MAIN-IPC

☐ JP 62067001 A March 26, 1987 005

☐ JP 94088881 B2 November 9, 1994 003 A01N001/02

APPLICATION - DATA:

PUB-NO APPL-DATE APPL-NO DESCRIPTOR

JP 62067001A September 17, 1985 1985JP-0206079

JP 94088881B2 September 17, 1985 1985JP-0206079

JP 94088881B2 JP 62067001 Based on

JP 94000001B2

NT-CL (IPC): A01N 1/02

ABSTRACTED-PUB-NO: JP 62067001A

BASIC-ABSTRACT:

Collin's modified soln. is used for the preservation of transplant organs. The basic compsn. of the soln. is 22-28 g/l glucose, 1.8-2.3 g/l KH2PO4, 7.0-11.2 g/l K2HPO4, 0.97-1.27 g/l KCl, 0.67-0.97 g/l NaHCO3, and 0.6-7.5 g/l MgSO4 . 7H2O.

examples of the plasminogen activator are urokinase and its precursors, tissue plasminogen activators and their precursors, etc. These plasminogen activators may be those which are derived from urea, or obtd. by cell-cultivation, or produced by genetic engineering. They should be highly burified for medical use. The loading amt. of plasminogen activators in the Collin's soln. is 1000-10000 IU/ml.

JSE/ADVANTAGE - Method makes it possible to preserve transplant organs, partic. kidneys, at 0-10 deg.C for 72-120 hrs.

CHOSEN-DRAWING: Dwg.0/0

TITLE-TERMS: PRESERVE ORGAN TRANSPLANT SOLUTION CONTAIN PLASMINOGEN ACTIVATE UROKINASE

DERWENT-CLASS: B05 D16 D22

CPI-CODES: B04-B02C3; B05-A01A; B05-A01B; B05-B02A3; B10-A07; B12-H02; B12-M06; B12-M07; D09-A01;

```
HEMICAL-CODES:
```

87140

```
hemical Indexing M1 *07*
   Fragmentation Code
   M423 M431 M782 M903 M904 M910 Q261 Q620 R023 V802
   V814
   Specfic Compounds
   01879M
   Registry Numbers
   87140
hemical Indexing M2 *01*
   Fragmentation Code
                            J471 K0
                                       \Gamma8
                                            L814 L821
        H405 H484 H8
                       J4
   L831 M280 M315 M321 M332 M344 M349 M381 M391 M416
   M431 M620 M782 M903 M904 M910 Q261 Q620 R023
   Specfic Compounds
   00038M
   Registry Numbers
   87140
Chemical Indexing M2 *02*
   Fragmentation Code
   A119 A940 B115 B701 B713 B720 B815 B831 C101 C108
   C802 C804 C805 C807 M411 M431 M782 M903 M904 M910
   Q261 Q620 R023
   Specfic Compounds
   01772M
   Registry Numbers
   87140
Chemical Indexing M2 *03*
   Fragmentation Code
   A119 A940 B115 B701 B713 B720 B815 B831 C101 C108
   C802 C804 C805 C807 M411 M431 M782 M903 M904 M910
   Q261 Q620 R023
   Specfic Compounds
   01753M
   Registry Numbers
   87140
Chemical Indexing M2 *04*
   Fragmentation Code
   A119 A940 C017 C100 C730 C801 C803 C804 C805 C806
   C807 M411 M431 M782 M903 M904 M910 Q261 Q620 R023
   Specfic Compounds
   01678M
   Registry Numbers
   87140
Chemical Indexing M2 *05*
   Fragmentation Code
   A111 A940 C101 C106 C108 C530 C730 C801 C802 C805
   C807 M411 M431 M782 M903 M904 M910 Q261 Q620 R023
   Specfic Compounds
   01151M
   Registry Numbers
   87140
Chemical Indexing M2 *06*
   Fragmentation Code
   A212 A940 C108 C316 C540 C730 C801 C802 C803 C804
   C805 M411 M431 M782 M903 M904 M910 Q261 Q620 R023
   Specfic Compounds
   01680M
   Registry Numbers
```

UNLINKED-DERWENT-REGISTRY-NUMBERS: 0038U; 1151U ; 1678U ; 1680U ; 1753U ; 1772U ; 1879U

SECONDARY-ACC-NO:

CPI Secondary Accession Numbers: C1987-052108